

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	775	(712/244).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/12/14 10:09
L2	179	(712/211).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/12/14 10:09
L3	593	(712/208).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/12/14 10:09
L4	525	(712/234).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/12/14 10:09
L5	469	(712/233).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/12/14 10:09
L6	1	((butcher-david\$) or (hill-stephe\$)) and (dijkstra-wilco\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L7	0	((array near4 boundar \$3) near4 except\$5) with (condition\$3 near4 branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L8	0	((array near4 boundar \$3) with except\$5) with (condition\$3 near4 branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L9	0	((array near4 boundar \$3) with except\$5) with (branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L10	1	((array near4 boundar \$3) with except\$5)) same (except\$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L11	1	((array near4 boundar \$3) with (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L12	4	((array near4 boundar \$3) same (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10

L13	5	((array with boundar\$3) same (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L14	343	((array with boundar\$3) same (except\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:10
L15	1	((array with boundar\$3) same (except\$5)) same (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L16	5	((array with boundar\$3) same (except\$5)) and (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L17	12	((array with boundar\$3) same (except\$5)) and ((condition\$5 or compar \$4) near4 branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L18	9	((array with boundar\$3) same (except\$5)) and (except\$3 near4 handl \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L19	112	((condition\$3 or compar \$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L20	62	((condition\$3 or compar \$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1) adj1 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L21	53	((condition\$3 or compar \$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1) adj1 (handl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11

L22	47	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3))) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L23	9	((array with boundar\$3) same (except\$5)) and (except\$3 near4 handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L24	47	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3))) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:11
L25	5	((array with boundar\$3) same (except\$5)) and (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/12/14 10:12
S1	366	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 10:22
S2	144	(712/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:23
S3	319	(712/233).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S4	397	(712/234).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24

S5	529	(712/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S6	1	(compar\$ near4 branch \$3) with (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:22
S7	23	(compar\$ near4 branch \$3) same (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29
S8	1	("6332215").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29
S9	4	(compar\$ with branch\$3) with (array with (boundar \$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
S10	139	(exception\$1) with (array with (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
S11	3	(exception\$1) with (array with (boundar\$3 or end\$4 or empt\$5 or full\$4)) with branch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:39
S12	23	(exception\$1) near4 (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
S13	11	(compar\$ near4 branch \$3) with exception\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:34
S14	2	(compar\$ near4 (branch \$3 or jump\$3)) same ((exception\$1 or interrupt \$1) near4 array\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:35
S15	36	(exception\$1 or interrupt \$1) near4 (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
S16	291	(exception\$1 or interrupt \$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:54

S17	0	(exception\$1 or interrupt \$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional) near4 (pre?determin\$3 or pre? program\$4 or know\$3) near4 (target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S18	0	(exception\$1 or interrupt \$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional) near4 (target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S19	9	(branch\$3 or jump\$3) near4 (compare or conditional) near4 (exception\$1 or interrupt \$1) near4 (handler\$3 or routine\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:56
S20	376	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 13:22
S21	146	(712/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 13:22
S22	331	(712/233).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 13:22
S23	406	(712/234).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 13:22
S24	548	(712/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 13:22

S25	41	(("3889243") or ("4236204") or ("4587632") or ("4969091") or ("4922414") or ("5136696") or ("5455775") or ("5619665") or ("5638525") or ("5659703") or ("5740461") or ("5742802") or ("5752035") or ("5784584") or ("5809336") or ("5838648") or ("5875336") or ("5892966") or ("5925123") or ("5926832") or ("5937193") or ("5953741") or ("6003126") or ("6009499") or ("6009509") or ("6014723") or ("6021469") or ("6026485") or ("6031992") or ("6038643") or ("6070173") or ("6088786") or ("6122638") or ("6125439") or ("6148391") or ("6298434") or ("6317872") or ("6338134") or ("6349377") or ("6374286") or ("6606743")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/21 15:48
S26	1	("5727227").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/02 07:37
S27	1	("20050216712").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 10:22
S28	152	(712/211).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 13:22

S29	392	(712/208).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 13:22
S30	346	(712/233).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 13:23
S31	387	(712/234).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 13:23
S32	581	(712/244).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/20 13:26
S33	0	((array near4 boundar \$3) near4 except\$5) with (condition\$3 near4 branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:03
S34	0	((array near4 boundar \$3) with except\$5) with (condition\$3 near4 branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:03
S35	0	((array near4 boundar \$3) with except\$5) with (branch\$3)) same (except \$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:04
S36	1	((array near4 boundar \$3) with except\$5)) same (except\$4 near4 handl\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:04
S37	1	((array near4 boundar \$3) with (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:05
S38	3	((array near4 boundar \$3) same (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:05
S39	3	((array with boundar\$3) same (except\$5 near4 handl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:06
S40	222	((array with boundar\$3) same (except\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:06
S41	1	((array with boundar\$3) same (except\$5)) same (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:06

S42	5	((array with boundar\$3) same (except\$5)) and (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:07
S43	9	((array with boundar\$3) same (except\$5)) and ((condition\$5 or compar \$4) near4 branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:14
S44	7	((array with boundar\$3) same (except\$5)) and (except\$3 near4 handl \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:15
S45	1042	((condition\$3 or compar \$5) near4 (branch\$3 or jump\$3)) same ((exception\$1 or trap\$1 or interrupt\$1) near4 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:17
S46	504	((condition\$3 or compar \$5) near4 (branch\$3 or jump\$3)) with ((exception\$1 or trap\$1 or interrupt\$1) near4 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:18
S47	320	((condition\$3 or compar \$5) near4 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) near4 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:18
S48	123	((condition\$3 or compar \$5) near4 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program \$5 or instruction\$1 or cod \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:18

S49	89	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:27
S50	52	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:19
S51	44	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1) adj1 (handl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:20
S52	39	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3)) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 14:29
S53	599	(712/244).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/30 18:06
S54	153	(712/211).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/30 18:06
S55	406	(712/208).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/30 18:06
S56	402	(712/234).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/30 18:07
S57	359	(712/233).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/30 18:07
S58	7	((array with boundar\$3) same (except\$5)) and (except\$3 near4 handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:07

S59	42	((condition\$3 or compar\$5) adj1 (branch\$3 or jump\$3)) near4 ((exception\$1 or trap\$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod\$3))) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:07
S60	5	((array with boundar\$3) same (except\$5)) and (handl\$3 with branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:08
S61	1	((butcher-david\$) and (hill-stephen\$) and (dijkstra-wilco\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:09
S62	142	((butcher-david\$) or (hill-stephen\$) or (dijkstra-wilco\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:09
S63	1	((butcher-david\$) or (hill-stephen\$)) and (dijkstra-wilco\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/30 18:10
S64	1	("20050216712").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/07 16:15

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	15	(712/208).OCLS.	UPAD	OR	OFF	2010/12/14 10:14
L27	1	(712/211).OCLS.	UPAD	OR	OFF	2010/12/14 10:14
L28	7	(712/233).OCLS.	UPAD	OR	OFF	2010/12/14 10:14
L29	4	(712/234).OCLS.	UPAD	OR	OFF	2010/12/14 10:14
L30	4	(712/244).OCLS.	UPAD	OR	OFF	2010/12/14 10:14
L31	1	((butcher-david\$) or (hill-stephen\$)) and (dijkstra-wilco\$)).in.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:14

L32	0	(((((array near4 boundar\$3) near4 except\$5) with (condition\$3 near4 branch\$3)) same (except\$4 near4 handl\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L33	0	(((((array near4 boundar\$3) with except\$5) with (condition\$3 near4 branch\$3)) same (except\$4 near4 handl\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L34	0	(((((array near4 boundar\$3) with except\$5) with (branch\$3)) same (except\$4 near4 handl\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L35	0	(((((array near4 boundar\$3) with except\$5)) same (except\$4 near4 handl\$5)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L36	0	((((array near4 boundar\$3) with (except\$5 near4 handl\$5))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L37	0	((((array near4 boundar\$3) same (except\$5 near4 handl\$5))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L38	0	((((array with boundar \$3) same (except\$5 near4 handl\$5))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L39	13	((((array with boundar \$3) same (except \$5))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L40	0	((((array with boundar \$3) same (except \$5)) same (handl\$3 with branch\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L41	0	((((array with boundar \$3) same (except \$5)) and (handl\$3 with branch\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18

L42	0	((array with boundar \$3) same (except \$5)) and ((condition \$5 or compar\$4) near4 branch\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L43	0	((array with boundar \$3) same (except \$5)) and (except\$3 near4 handl\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L44	5	((condition\$3 or compar\$5) adj1 (branch\$3 or jump \$3)) near4 ((exception\$1 or trap \$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L45	4	((condition\$3 or compar\$5) adj1 (branch\$3 or jump \$3)) near4 ((exception\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod \$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L46	2	((condition\$3 or compar\$5) adj1 (branch\$3 or jump \$3)) near4 ((exception\$1) adj1 (handl\$3))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18
L47	0	((condition\$3 or compar\$5) adj1 (branch\$3 or jump \$3)) near4 ((exception\$1 or trap \$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod \$3))) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:18

L48	0	((array with boundar \$3) same (except \$5)) and (except\$3 near4 handl\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:19
L49	47	((((condition\$3 or compar\$5) adj1 (branch\$3 or jump \$3)) near4 ((exception\$1 or trap \$1 or interrupt\$1) adj1 (handl\$3 or \$4program\$5 or instruction\$1 or cod \$3))) and ((sav\$3 or stor\$3 or writ\$3) near4 ((program adj1 count\$4) or PC or (instruction\$1 adj1 address\$2)) near4 register\$1))	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:19
L50	0	((array with boundar \$3) same (except \$5)) and (handl\$3 with branch\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/12/14 10:19

12/14/10 10:28:11 AM

C:\Documents and Settings\ALi\My Documents\EAST\Workspaces\10807499.wsp